
travis2docker

Release 5.4.0

Aug 28, 2022

Contents

1 Overview	1
1.1 Installation	1
1.2 Usage	1
1.3 Depends	2
1.4 Documentation	2
1.5 Development	2
2 Installation	5
3 Usage	7
4 Reference	9
4.1 travis2docker	9
5 Contributing	11
5.1 Bug reports	11
5.2 Documentation improvements	11
5.3 Feature requests and feedback	11
5.4 Development	12
6 Authors	13
7 Changelog	15
7.1 3.0.0 (2016-07-26)	15
8 Indices and tables	17
Python Module Index	19
Index	21

CHAPTER 1

Overview

docs	
tests	
package	

Script to generate Dockerfile from .travis.yml file

- Free software: BSD license

1.1 Installation

```
pip install travis2docker
```

1.2 Usage

travisfile2dockerfile REPO_URL BRANCH

Or with pull request *travisfile2dockerfile REPO_URL pull##*

In REPO_URL use the ssh url of github.

For more information execute: *travisfile2dockerfile -help*

Example: *travisfile2dockerfile -root-path=\$HOME/t2d git@github.com:Vauxoo/forecast.git 8.0*

The output is: *\${HOME}/t2d/script/git_github.com_Vauxoo_forecast.git/8.0/1 \${HOME}/t2d/script/git_github.com_Vauxoo_forecast.g*

The first one is the build for env *TESTS=1*, the second one is for env with *LINT_CHECK=1*

To build image: \${HOME}/t2d/script/git_github.com_Vauxoo_forecast.git/8.0/1/10-build.sh

To create container: \${HOME}/t2d/script/git_github.com_Vauxoo_forecast.git/8.0/1/20-run.sh –entrypoint=bash

To run the test (into of container): /entrypoint.sh

1.3 Depends

1.3.1 SSH key without password

Dockerfile doesn't support a prompt to enter your password, so you need to remove it from your ssh keys.

```
export fname=~/ssh/id_rsa
cp ${fname} ${fname}_with_pwd
openssl rsa -in ${fname} -out ${fname}_without_pwd
cp ${fname}_without_pwd ${fname}
```

1.3.2 Download the big image

Travis2docker uses a default image with many packages pre-installed.

docker pull vauxoo/odoo-80-image-shippable-auto

Note: You can define a custom image to use with *-docker-image* parameter.

For example if you want use the original image of travis you can add the following parameters:

-docker-image=quay.io/travisci/travis-python -docker-user=travis

1.3.3 Install docker

<https://docs.docker.com/engine/installation/>

1.4 Documentation

<https://travis2docker.readthedocs.io/>

1.5 Development

To run the all tests run:

```
tox
```

Note, to combine the coverage data from all the tox environments run:

Windows	set PYTEST_ADDOPTS=--cov-append tox
Other	PYTEST_ADDOPTS=--cov-append tox

CHAPTER 2

Installation

At the command line:

```
pip install travis2docker
```


CHAPTER 3

Usage

To use travis2docker in a project:

```
import travis2docker
```


CHAPTER 4

Reference

4.1 travis2docker

CHAPTER 5

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

travis2docker could always use more documentation, whether as part of the official travis2docker docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at <https://github.com/vauxoo/travis2docker/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up *travis2docker* for local development:

1. Fork [travis2docker](#) (look for the “Fork” button).
2. Clone your fork locally:

```
git clone git@github.com:your_name_here/travis2docker.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you’re done making changes, run all the checks, doc builder and spell checker with [tox](#) one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .  
git commit -m "Your detailed description of your changes."  
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you’re developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run [tox](#))¹.
2. Update documentation when there’s new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- py.test -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

¹ If you don’t have all the necessary python versions available locally you can rely on Travis - it will [run the tests](#) for each change you add in the pull request.

It will be slower though ...

CHAPTER 6

Authors

- Vauxoo - <https://www.vauxoo.com/>

CHAPTER 7

Changelog

7.1 3.0.0 (2016-07-26)

- First release on PyPI.

CHAPTER 8

Indices and tables

- genindex
- modindex
- search

Python Module Index

t

travis2docker, [9](#)

Index

T

`travis2docker (module)`, 9